

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Your technical bit. Data & Equipment.

lbiza.

Safety	Reference	Style	Xcellence	FR
Tool kit	•	•	•	٠
Emergency spare wheel + Tool kit and jack	0	0	0	-
Electronic Stability Control	•	٠	•	٠
Three rear head restraints	•	•	•	•
Rear drum brakes¹	•	•	•	-
Seat belt reminder, electric contact in buckle	•	•	•	•
Three-point seat belts	•	٠	•	٠
Tyre fit	•	•	•	٠
Power locking with remote control	•	•	-	٠
Central locking system "Keyless Entry" ²	_	0	•	0
Central locking system "Keyless Entry" with Safelock ²	_	0	_	0
Alarm with Safelock ³	0	0	0	0
Rear parking sensor with park distance control	_	0	•	0
Hill Hold Control	•	•	•	٠
Cruise Control System	_	-	•	•
Vision Pack: Park distance control (front and rear)	-	0	0	0
Vision Plus Pack: Park distance control (front and rear) Rear View Camera	-	0	0	0
Safe & Driving Pack S Separate daytime running lights with automatic headlight activation Onboard Computer Forward collision warning including autonomous emergency braking Windshield wiper with intermittent control and photosensor Speed limiter Electronic Stability Control (ESC) Seat belt reminder with advanced safety equipment	0	0	Ο	0

Safety

Safe & Driving
Forward collisi
autonomous ei
Adaptive Cruis
Side airbag in fr

Driver and front | with passenger o

Indirect tyre press

Exterior

Dark-tinted win Side windows in and rear tinted v

Exterior door han cases in black

Power-folding, po and heated exter

Body-coloured b FR sport bumpers

Urban 15" 20/1 St

Enjoy 15" 20/1 Alle Design 16" 20/1 A

Urban 16" Black I

Design 16" 20/3 M Dynamic 17" 20/1

Dynamic 17" 20/2

Performance 18"

All season tyres 1 Spare wheel with

Reduced spare w

Reduced spare w

Emergency spare

Twin halogen hea daytime running li

Standard
 Optional

- Not available

¹ Rear disk brakes for engines > 100 HP.
² Requires alarm.
³ Xcellence maintains "Keyless Entry" with Safelock instead of radio remote.
⁴ Not compatible with 1.0 MPI engines.
⁵ Not compatible with TGI engines.
⁵ This reduced spare wheel will be available until w.48, 2020.
⁶ Includes reading lights in ceiling. Requires Radio with Bluetooth[®].
⁷ Only available for engines > 100 HP.
⁸ Standard for Xcellence with 1.5 TSI 150 HP engine.
⁹ Requires spare wheel (Not compatible with Reduced spare wheel 14⁺).

¹⁰ With "X" pin for Xcellence and "FR" pin for FR.

	Reference	Style	Xcellence	FR
Pack M ^{4, 5}	Acterence	JLyte	Accuence	IN
on warning incl. mergency braking e Control and speed limiter	-	0	0	0
ront, with curtain airbag	•	•	•	•
passenger airbag airbag deactivation	•	٠	•	٠
ssure monitoring system	•	٠	•	٠
	-	-		0
indows n heat-insulating glass I windows	-	0	0	0
andles and mirror	٠	-	-	-
oower-adjustable erior mirrors	_	-	•	•
bumpers	•	•	-	-
ers	-	-	-	•
Steel Wheels	•	•	-	-
lloy Wheels	0	0	•	-
Alloy Wheels	-	0	-	-
R Alloy Wheels	-	0	0	-
3 Machined Alloy Wheels ⁸	-	-	0	-
/1 Machined Alloy Wheels	-	-	0	-
/2 Alloy Wheels	-	-	-	•
" 20/1 Alloy Wheels⁵	_	-	_	0
15" Alloy Wheels	0	0	0	-
th original steel wheel size ⁵	0	0	0	-
wheel 14"5*	0	0	0	0
wheel 15" ⁵	-	0	0	0
re wheel 18" (minimised)⁵	0	0	0	0
eadlights with halogen g lights	•	•	-	-

Exterior	Reference	Style	Xcellence	FR
Twin halogen headlights with LED daytime running lights	-	-	•	•
Halogen tail lights	•	•	_	-
LED tail lights	_	-	•	•
Rear fog light	•	٠	•	•
Front fog lights with cornering function	-	0	•	•
Separate daytime running lights with automatic head light activation and Coming Home feature	-	-	٠	•
Full LED Pack for Style LED license plate lighting LED headlights Dynamic headlight range control (self-adjusting while driving) LED tail lights Front fog lights Interior light in footwell and central console Interior ambient light	-	0	-	-
Full LED Pack for Xcellence and FR LED license plate lighting LED headlights Dynamic headlight range control (self-adjusting while driving)	-	_	0	0
Towing device, including removable and lockable trailer hitch, tool kit, jack ^{5,9}	0	0	0	0
Interior				
Leather multifunctional steering wheel ¹⁰	-	•	•	•
Right-hand drive	0	0	0	0
Trim specific seats	٠	•	•	•
Reference comfort seats	•	-	-	-
Style comfort seats	-	•	-	-
Xcellence seats	-	-	•	-
FR Sport seats	-	-	-	•
Split and folding rear seats	_	٠	•	•
Seat trim covers for special editions	-	-	-	
Luggage pockets on front seats backrest	-	-	•	-

Interior	Reference	Style	Xcellence	FR
Height-adjustable driver seat	•	•	_	-
Height-adjustable front seats (driver and passenger)	-	-	•	•
Chrome Pack High	_	•	•	٠
Door panels in PVC	•	٠	-	-
Interior door and side trim panel with textile and decorative moulding	_	-	•	-
Leatherette PAD ¹¹	_	-	0	•
Bright decorative mouldings	_	-	•	-
Foldable trunk cover	•	•	•	٠
Breakaway interior rearview mirror, auto-dimming	-	-	•	٠
Leather gear knob	-	•	•	٠
Leather parking brake	-	•	•	•
Grey greenhouse	•	•	-	-
Black greenhouse	-	-	•	•
Storage Pack: Front centre armrest Drawer under left front seat	-	-	•	-
Interior Pack ¹² : Drawers under front seats Mounting fixture in luggage compartment Plane rear cargo area Front centre armrest	-	0	0	0
Luxe Pack ^{13,14} : Comfort seats in front Dinamica® Black Sport seats Interior door side trim panel with textile and dashboard in simil leather Three rear head restraints Luggage pockets on backrest front seats	-	-	0	0
Red Pack^{12,15}: Three-point seat belts in red Disk brakes in front and rear Dual ride	-	_	_	0

Interior

Colour & Trim S Chromed upper Style comfort see Driver sunvisor Chrome Pack Ba Door handles an in body colour

Colour & Trim X

Front grille with h Net on central co Chromed side wi Driver sunvisor \ Hight trims dashk Front fog lights fr Painted door har Aluminium door s Xcellence seats Chromed instrum Gear knob with a Black greenhous

Colour & Trim Fl Chromed front g Rear FR spoiler w exhaust pipe Painted window Driver sunvisor v Door handles an FR logo Front fog lights fr Chromed instrum Gear knob with a FR sport seats Hight trims dashl

 Standard **O** Optional - Not available

¹¹ Not available with Luxe Pack. ¹² Not compatible with TGI engines. ¹³ Requires Safe & Driving Pack S / Safe & Driving Pack M. ¹⁴ Not available with Leatherette PAD. ¹⁵ Only available for engines > 100 HP. ¹⁶ Available for Reference with optional Cool & Sound Pack. ¹⁷ Compatible with Android Auto™, Apple CarPlay™ & MirrorLink™. ¹⁸ Requires Navi system 8" or Vision Pack+. ¹⁹ Requires emergency spare wheel 18" (minimised).

	Reference	Style	Xcellence	FR	Electronics	Reference	Style	Xcellence	FR
n Style:					Electrically-adjustable exterior mirrors	•	•	_	-
per front grille frame seats					Fresh air intake system with combination filter	_	-	•	٠
or with mirror and card holder	-	•	-	-	Climatronic with Air-care filter	_	-	•	•
Basic and mirror case painted					Windshield wiper with intermittent control and potentiometer (four speeds)	•	•	-	-
1 Xcellence: th hot stamping					- Windshield wiper with intermittent control and light and rain sensor	-	-	•	•
l console passenger window frame					Rear window wiper and washer system with intermittent control	•	٠	•	•
or with mirror and card holder Ishboard					Dimming interior Rear View Mirror	•	•	-	-
s frame with decorative inserts	_	-	•	-	Tiredness Recognition	-	-	•	•
handles and mirror cases or step with "Xcellence" engraving					Electronic vehicle immobilization device	•	•	•	•
its					Single-tone horn	•	•	•	•
rument panel th decorative inserts					Manually controlled heating system	•	-	-	-
ouse					Manually controlled air conditioning ¹⁶	-	•	•	•
n FR:					– Dust and pollen filter ¹⁶	•	•	-	-
n FR: It grille frame					2 foldable keys with remote control function	•	•	•	•
er with double "design"					Front reading lights on driver and passenger	-	٠	•	٠
ow frames in Brilliant Black or with mirror and card holder					Interior light in footwell, central console and door panel	_	-	•	•
and mirror painted	-	-	-	٠	6 speakers	_	•	•	•
s frame with decorative inserts					USB type C socket ¹⁶	-	•	•	•
rument panel th decorative inserts					Radio 6.5" (Generation 2) ¹⁶	_	٠	•	•
5					Bluetooth ^{®16}	_	•	•	•
Ishboard					Antenna for AM/FM reception ¹⁶	-	0	0	0
					Full Link technology ¹⁷	-	0	0	0
					SEAT Digital Cockpit ¹²	_	0	0	0
					DAB (Digital Audio Broadcasting) ¹⁸	0	0	0	0
					BeatsAudio™ with luggage compartment lining ^{12,19}	-	0	0	0

Electronic	Reference	Style	Xcellence	FR
Connectivity Box	-	0	0	0
Navigation Maps	-	0	0	0
Navigation Maps with MapCare	-	0	0	0
SEAT Drive Profile with ECO function ^{20,21}	-	-	0	•
Driver Pack ^{22,23} : Tiredness Recognition System Cruise Control System (CCS)	0	0	•	•
Comfort Pack: Power-folding, power-adjustable and heated exterior mirrors Climatronic with Air-care filter Auto-dimming, breakaway interior rear view mirror Fresh air intake system with combination filter Separate daytime running lights with automatic headlight activation and Coming Home function Windshield wiper with intermittent control and light and rain sensor Power windows with comfort operation and circuit breaker	-	0	•	•
Cool & Sound: Radio 6.5" (Generation 2) 4 speakers Antenna for AM/FM reception USB type C socket Bluetooth® Dust and pollen filter Manually controlled air conditioning Onboard Computer Plus Multifunctional steering wheel Front reading lights for driver and passenger	0	-	_	-

Electronic

Navigation Sys Infotainment sys Navigation syste Antenna for AM/ Voice control External USB typ Full Link SEAT CONNECT

SEAT CONNECT

Winter Pack: Seat heater for f separately contr Height-adjustabl Power-folding, po and heated exte

Standard Optional

- Not available

²⁰ Not compatible with 1.0 MPI engines.

- Not compatible with TGI engines.
 ²² Requires multifunctional steering wheel.
 ²³ Requires Safe & Driving Pack S / Safe & Driving Pack M.
- ²⁴ Requires SEAT CONNECT Gen3.
- ²⁵ Connected car services for Radio including private Emergency Call, safety services for 10 years and remote access for 1 year (after this period renewals are needed). Data not included.
- ²⁶ Connected car services for Navi including private Emergency Call, safety services for 10 years, remote access for 1 year and online infotainment for 1 year (after this period renewals are needed). Data not included. Requires Navi System.

	Reference	Style	Xcellence	FR	Others	Reference	Style	Xcellence	F
ystem ²⁴					Non-smoker's package	•	٠	•	
system 8" (MIB3) stem M/FM reception type C socket	-	0	0	0	Reference Plus Pack: Front fog lights with cornering function Power windows with comfort operation and circuit breaker Split, folding rear seats Park distance control (rear)	0	_	-	-
CT for Media System ²⁵	•	•	•	•					
CT for Navi System ²⁶	-	٠	•	•	_				
or front seats, ntrolled able front seats 3, power-adjustable xterior mirrors	0	0	0	0					

Accessories.

Machined Black 18" Alloy Wheel	6F0071498
Sport Black 18" Alloy Wheel	6F4071498 - 5F0601171 CBX
Hub cap - Desire Red	6F0071409C 0X1
Hub cap - Mystery Blue	6F0071409C W5L
Machined Black 17" Alloy Wheel	6F0071497
Machined Sport Black 18" Alloy Wheel	6F0071498D 10V
Centre insert - Silver	6F0071409D
Centre insert - Desire Red	6F0071409B
Centre insert - Mystery Blue	6F0071409
Machined Cosmo Grey 17" Alloy Wheel	6F0071497G 67E
Anti-theft screws for rims	000071510A
Front styling kit	6F0071606 GRU
Side skirts	6F0071685 GRU
Rear Bumper Diffuser	6F0071611 9B9
Rear Spoiler	6F0071640 GRU
Exterior	
Chromed hatchback moulding	6F0071360
Black hatchback moulding	6F0071360A
Exterior mirror covers - Piano Black	6F0072530 041
Exterior mirror covers - Desire Red	6F0072530 0X1
Exterior mirror covers - Mystery Blue	6F0072530 W5L
Interior	
Additional interior mirror	000084418A
Interior mirror - Black	6F0072540 041
Interior mirror - Desire Red	6F0072540 0X1
Interior mirror - Mystic Magenta	6F0072540 S4Y
Interior mirror - Mystery Blue	6F0072540 W5L
Internal mirror electrochromed - Black	6F0072540A 041
Internal mirror electrochromed - Desire Red	6F0072540A 0X1
Internal mirror electrochromed - Mystic Magenta	6F0072540A S4Y
Internal mirror electrochromed - Mystery Blue	6F0072540A W5L
Centre console mats "Barcelona streets" - Set of 4 mats	6F0061169
Centre console mats "Barcelona streets" - Set of 3 mats	6F0061169A
Arm rest - leather	6F0061123 XU2
Arm rest - fabric	6F0061123 LI8
Spherical cup holder	1SL061129A

Interior

Net between se
Net between se
Net between se
Net between se
Foil side sills
Illuminated sid
Side sun shade
Rear sun shade
Espresso mach
Storage pocke

Sport custom

Steering wheel
Gear knob 5 sp
Gear knob 6 sp
Key cover
Pedals
Footrest
Inox side sills
Exterior sticker

<u>Urban Tech cu</u>

Steering wheel
Gear knob 5 sp
Gear knob 6 sp
Key cover
Pedals
Footrest
Inox side sills
Exterior sticker

Trend custom

Steering wheel Gear knob 5 sp Gear knob 6 sp Key cover Pedals Footrest Inox side sills Exterior sticker

ats - Black	6F0017221A
ats - Desire Red	6F0017221B 0X1
ats - Mystic Magenta	6F0017221B S4Y
ats - Mystery Blue	6F0017221B W5L
	6F0071310
sills	6J0071691C
S	6F0064365
S	6F0064365A
ne	000069641
	000061680B
misation	
	6F0072390 0X1
	6F0064230 0X1
	6F0064230A 0X1
	6F0087013C
	6F0064200 0X1
	6F0071750A 0X1
	6F0071691
	6F0071316C
customisation	
	6F0072390 W5L
	6F0064230 W5L
	6F0064230A W5L
	6F0087013B
	6F0064200 W5L
	6F0071750A W5L
	6F0071691A
	6F0071316B
misation	
	6F0072390 S4Y
	6F0064230 S4Y
	6F0064230A S4Y
	6F0087013A
	6F0064200 S4Y
	6F0071750A S4Y
	6F0071691B
	6F0071316A

Transport	
Surfrack	000071120HA
Ski rack - 4 pairs	0000711295
Ski rack - 6 pairs	000071129T
Ski rack xtender	000071129R
Load-Stop rack	000071223
Roof box - 400l	000071200T
Roof box - 420l	000071200AB
Roof box - 450l	000071180A
Roof Bars	6F0071151 - 6F0071151A
Bike rack	5F9071128
Electric kit with pre-installation	6F0055204
Electric kit without pre-installation	6F1055204A
Electric kit without pre-installation (Right hand drive vehicles)	6F2055204A
Tow bar bike rack for 2 bikes	000071128K
Kit 3 rd bike extension	000071128J
Tow bar bike rack	000071128H
Tow bar	6F0803881
Towing bike rack	000071128G
Towing ski rack	000071129L
Protection	
Front mud flaps	6F0075111
Rear mud flaps	6F0075101
Tyre cover	000071770C
Black car cover	6F0061701A
White car cover	6F0061701
Rear bumper protective film	6F0071363
Key cover - FR	000087013AE
Key cover - SEAT Logo	000087013AF
Key cover - CUPRA	000087013AJ
Rubber mats	6F1061500 041
Rubber mats (Right hand drive vehicles)	6F2061500 041
Textile mats Trail	6F1061675 041
Textile mats Serie	6F1863011 LOE
Foldable trolley for boot	000061109G
Organisational drawer	000061109F

Protection	
Textile mats Serie (Right hand drive vehicles)	6F2863011 LOE
Textile mats Velpic®	6F1061675A 041
Boot organiser	575061205A
Separation grille	6F0017221
Foam boot tray	6F0061180
Semi rigid boot tray	6F0061180A
Reversible boot mat without double level	6F0061210
High walls boot tray	6F0061201
Seat belt pad	000069629B
lce scrapper	000096010D
Boot protector for dogs	000061609D
Protective seat cover for dogs	000061609C
Infotainment	
GPS Ultra	000051818CG
Holder with magnetic suction cup	000051991K
Parrot® MiniKit Neo 2 HD - Black	000051473AE041
Start 42 EU 23 countries (Lifetime maps)	000051818AQ
Start 62 EU 45 (Lifetime maps)	000051818CE
GO 520 EU 45 (Lifetime maps)	000051818CJ
GO 620 EU 45 (Lifetime maps)	000051818CK
GO 5200 EU 45 (Lifetime maps)	000051818CL
GO 6200 EU 45 (Lifetime maps)	000051818CM
Twonav Anima+ GPS	000051818CH
Universal magnetic mount	000061129F
SEAT Full Link	5F0054830
Inductive charger	000051763Q
USB to type C adapter	000051444AP

Security

ISOFIX Duo Plus SEAT PEKE® G11-S SEAT PEKE Peke ISOFIX Baby-safe Kidfix² S Child safety Kidfix Top Tether Safety 9,900 mAh batter 20,000 mAh batte Warning triangle 2 Emergency trian Fluorescent vest Safety Pack (trian Triangle fastening First-aid kit Safety dog harnes Safety dog harnes Safety dog harnes Safety dog harnes Help flash Kaza live alert sma Tiredness recogn Snow chains: Autosock (185/70 Autosock (185/65 Autosock (195/5 Autosock (215/45 Autosock (215/40 Turisport (185/70 Turisport (185/65 Easygrip (185/70 Easygrip (185/65 Easygrip (195/55

Maintenance

Insect remover Interior cleaner Dashboard Clean 300ml concentrat 300ml windscreer

	000019909G
Size Trifix	000019909F
G0 I-Size Plus	000019907A
e Plus SHR II	000019907B
	000019906S
ix XP	000019906M
y Belt	3R0019900
ery jump starter	000051763F
tery jump starter + charger	000051763H
2	000093056A
Ingle pack	000093600C
	000093056J
ngles + vest)	000093990R
ig support	6K0860265
	6L0093000
ess - Size XL	000084310B
ess - Size L	000084310C
ess - Size M	000084310D
ess - Size S	000084310E
	000052122A
nartwatch	000054635E
nition system	6F0060884
'O R14]	000091375AE
5 R15)	000091375AE
5 R16)	000091375AE
5 R17)	000091301B
-0 R18]	000091301B
0 R14]	000091303C
5 R15)	000091303D
0 R14]	000091375H
5 R15)	000091375G
5 R16)	000091375EM
	000096320FRABH
	000096320FRABK
iner	000096320FRABM
ated shampoo	000096320GFAAB
en wash	000096320GFAAD

Maintenance	
Summer maintenance kit	000096354B
Winter maintenance kit	000071980BPADA
Touch-up pencil Candy White	000098500L B9A
Touch-up pencil Mediterranean Blue	000098500LM511
Touch-up pencil Mystic Magenta	000098500LMS4Y
Touch-up pencil Eclipse Orange	000098500LMW2Y
Touch-up pencil Mystery Blue	000098500LMW5L
Touch-up pencil Desire Red	000098500LM0X1
Touch-up pencil Urban Silver	000098500LMZ7G
Touch-up pencil Magnetic Tech	000098500LMS7H
Touch-up pencil Midnight Black	000098500LMY9T
Touch-up pencil Nevada White	000098500LMS9R

Child car seats	Age (approximate)
SEAT PEKE Peke GO I-Size Plus	Up to 15 months
ISOFIX BABY-SAFE PLUS SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
ISOFIX Duo Plus	9 months to 4 years
Kidfix² S	3,5 to 12 years
Child safety Kidfix XP	4 to 12 years

Engine specs.

Engine	1.0 MPI 80 HP (59 kW) MQ Start/Stop	1.0 TSI 95 HP (70 kW) MQ Start/Stop' MQ Start/Stop²	1.0 TSI 110 HP (81 kW) MQ Start/Stop³ DQ Start/Stop	Chassis
Cylinder/Valve (total)	3/12	3/12	3/12	Front suspension
Displacement (cc)	999	999	999	Rear suspension
Cylinder bore and stroke (mm)	74.5×76.4	74.5×76.4	74.5×76.4	Steering System
Compression ratio	12	10.5	10.5	Turning diameter (
Maximum power (kW (HP)/rpm)	59 (80) / 6,300	70 (95) / 5,000-5,500	81 (110) / 5,500	Brake system
Maximum torque (Nm/rpm)	93 / 3,750	175 / 2,000-3,500	200 / 2,000-3,500	Front/Rear brake t
Fuel supply system	Multipoint injection	TSI-Direct Injection	TSI-Direct Injection	Front brakes (mm)
Ignition	Positiv Ignition (Electronic map-controlled ignition)			Rear brakes (mm)
Atmospheric/Supercharged	Natural aspirated	Turbo charged	Turbo charged	
Fuel type	Petrol / ROZ 95	Petrol / ROZ 95	Petrol / ROZ 95	Wheels
Oil capacity in initial fill [I]	4.3	4.3	4.3	Rims
Alternator (A)	110A (8GD/ 8GG)	110	110	
Battery (Ah/A)	59 Ah (JOS)	59	59	Tyres
Performance Maximum speed (km/h)	169 [4°]	182 (4°) 188 (5°)	195 (5°) 195 (6°)	Dimensions
Acceleration 0-80 km/h (s)	9.6	7.2 7.3	6.8 6.9	
Acceleration 0-100 km/h (s)	15.3	10.9 10.9	10.2 10.0	Body type
Acceleration 80-120 km/h (s)	17.9	10.9 11.6	10.7 11.0	Length/width/heig
Acceleration 1000 m (s)	35.9	32.8 32.9	32 31.9	Wheelbase (mm)
	55.5	32.0 32.3	5E 51.5	Track front/rear (m
Fuel consumption				Boot capacity (l) Fuel tank capacity
Urban (l/100 km)	-	-	-	
Extra urban (l/100 km)	-		-	Weights
Combined (l/100 km)	-			In running order wi
Combined WLTP Range (I/100 km)	-	-	-	Maximum weight v
				Maximum weight c
CO2 mass emission				Maximum weight v
CO2 Urban (g/km)	_	-	-	Maximum weight v
CO2 Extra Urban (g/km)	_	-	-	Maximum weight v
CO2 Combined (g/km)	-	-	-	Maximum Weight V
Combined WLTP Range [l/100 km]	-	-	-	
Transmission				
Gearbox type	MQ200-5F	MQ200-5F	MQ200-6F DQ200-7F	

Chassis	1.0 MPI 80 HP (59 kW) MQ Start/Stop	1.0 TSI 95 HP (70 kW) MQ Start/Stop¹ MQ Start/Stop²	1.0 TSI 110 HP (81 kW) MQ Start/Stop³ DQ Start/Stop		
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]				
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber]]				
Steering System	C-EPS [Column Electric Power System]				
Turning diameter (m)	10.6				
Brake system	ESC Standard (including HHC, EBA, TCS, EDS, RKA	, XDS]			
Front/Rear brake type	Ventilated front brakes / Drum brakes in rear axle				
Front brakes (mm)	Ø 256×22	Ø 256×22	Ø 276×24		
Rear brakes (mm)	TB 203×38	TB 228×42	Ø 230×9		
Wheels					
Rims	5.5J×15 ET40 / 6.5J×16 ET47 7J×17 ET51 / 7J×18 ET51	5.5J×15 ET40 / 6.5J×16 ET47 7J×17 ET51 / 7J×18 ET51	5,5,J×15 ET40 / 6,5,J×16 ET47 7J×17 ET51 / 7J×18 ET51		
Tyres	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40 R18 91W XL	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40 R18 91W XL	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40 R18 91W XL		
Dimensions					
Body type	5D				
Length/width/height (mm)	4,059/1,780/1,444				
Wheelbase (mm)	2,564				
Track front/rear (mm)	1,525/1,505				
Boot capacity (l)	355 (TGI 262)				
Fuel tank capacity [l]	40 (TGI 9)				
Weights					
In running order with driver (kg)	1,102	1.128	1,148 1163		
Maximum weight with driver (kg) Front/Rear	655 / 447	676 / 452	702 / 446 720 / 443		
Maximum weight allowed [kg]	1620	1640	1670 1690		

it with an ver (kg) from near	0007 447	0/0/ 432	/ 02 / 440 / /20 / 443
nt allowed (kg)	1,620	1,640	1,670 1,680
ıt without brake (kg)	540	560	570 580
nt w/brake 8% [kg]	1,000	1,100	1,200
nt w/brake 12% (kg)	800	1,000	1,100

¹ This engine will be available until w.44, 2020.

² This engine will not be available until w.44, 2020.

³ This engine will not be available until w.45, 2020.

Engine specs.

Cylinder/Valve (total) 3/12 4/16 3 / 12 4 / 16 Displacement (cc) 999 1,498 999 1,598 Cylinder bore and stroke (mm) 74,5×76.4 74,5×85.9 74,5×76.4 79,5×80.5 Compression ratio 10.5 10.5 10.5 16.2 Maximum power (kW (HP)/rpm) 85 (115) / 5,000-5,500 110 (150) / 5,000-6,000 66 (90) / 4,000-5,500 70 (95) / 2,7 Maximum torque (Nm/rpm) 200 / 2,000-3,500 250 / 1,500-3,500 160 / 1,800-3,800 250 / 1,500 Fuel supply system TSI-Direct Injection TSI-Direct Injection / TGI mode: Multipoint injection / TGI mode: Multipoint injection Direct inject Direct inject	
Cylinder bore and stroke (mm) 74.5×76.4 74.5×85.9 74.5×76.4 79.5×80.5 Compression ratio 10.5 10.5 10.5 16.2 Maximum power (kW (HP)/rpm) 85 (115) / 5,000-5,500 110 (150) / 5,000-6,000 66 (90) / 4,000-5,500 70 (95) / 2,7 Maximum torque (Nm/rpm) 200 / 2,000-3,500 250 / 1,500-3,500 160 / 1,800-3,800 250 / 1,500 Full paragle paratement TCL Direct lajerting TSL Direct lajerting TSL Direct lajerting TSL Direct lajerting Direct lajerting	
Compression ratio 10.5 10.5 16.2 Maximum power (kW (HP)/rpm) 85 (115) / 5,000-5,500 110 (150) / 5,000-6,000 66 (90) / 4,000-5,500 70 (95) / 2,7 Maximum torque (Nm/rpm) 200 / 2,000-3,500 250 / 1,500-3,500 160 / 1,800-3,800 250 / 1,500 Fuel angle and the sector TSI- Direct lejection TSI- Direct lejection / Direct lejection / Direct lejection /	
Maximum power [kW (HP)/rpm] 85 [115] / 5,000-5,500 110 [150] / 5,000-6,000 66 [90] / 4,000-5,500 70 [95] / 2,7 Maximum torque [Nm/rpm] 200 / 2,000-3,500 250 / 1,500-3,500 160 / 1,800-3,800 250 / 1,500 Fuel surplus return TSI- Direct Injection / TSI-Direct Injection / Direct Injection / Direct Injection /	
Maximum torque (Nm/rpm) 200 / 2,000-3,500 250 / 1,500-3,500 160 / 1,800-3,800 250 / 1,500 Fuel surplus return TSL Direct logication TSL Direct logication TSL Direct logication Direct logication	
TSI-Direct Injection / Direct Injection /	-2,600
Fuel supply system TSI-Direct Injection TSI-Direct Injection TSI-Direct Injection / Direct injection Direct injection	
	tion: Common Rail
Ignition Positiv Ignition (Electronic map-controlled ignition) Compresse	ed ignition
Atmospheric/Supercharged Turbo charged Turbo	jed
Fuel type Petrol / ROZ 95 Petrol / ROZ 95 ROZ 95 / TGI Diesel	
Oil capacity in initial fill (1) 4.3 4.8 4.3 5	
Alternator (A) 110 110 110 110 110 110 110/140	
Battery (Ah/A) 59 59 59 70	
Performance Maximum speed (km/h) 193 (5°) 219 (6°) 184 (5) 182 (4°)	
Acceleration 0-80 km/h (s) 6.4 6 8.2 7.5	
Acceleration 0-100 km/h (s) 9.3 8.2 12.1 11.3	
Acceleration 80-120 km/h (s) 10.9 10.1 14.6 10.9	
Acceleration 1000 m (s) 30.8 29 34.3 33.3	
Fuel consumption TSI mode TGI mode	
Urban (l/100 km)	
Extra urban (1/100 km)	
Combined (I/100 km)	
Combined WLTP Range (I/100 km)	
CO2 mass emission	
CO2 Urban (g/km)	
CO2 Extra Urban (g/km)	
CO2 Combined (g/km)	
Combined WLTP Range (I/100 km)	
Transmission	
Gearbox type MQ200-6F DQ200-7F MQ200-6F MQ250-5F	

Chassis	1.0 TSI 110 HP (85 kW) MQ Start/Stop¹	1.5 TSI 150 HP (110 kW) DQ Start/Stop	1.0 TGI 90 HP (66 kW) MQ Start/Stop	1.6 TDI 95 HP (70kW) MQ Start/Stop²	
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]				
Rear suspension	Semirigid axle, coil springs and hydraulic sh	ock absorber [Variable shock absorber settings (s	switchable shock absorber]]		
Steering System	C-EPS (Column Electric Power System)				
Turning diameter (m)	10.6				
Brake system	ESC Standard (including HHC, EBA, TCS, ED	S, RKA, XDS)			
Front/Rear brake type	Ventilated front brakes / Disc brakes in rear	axle			
Front brakes (mm)	Ø 276×24	Ø 276×24	Ø 256×22	Ø 276×24	
Rear brakes (mm)	Ø 230×9	TB 230×9	TB 228×42	TB 228×42	
Wheels					
Rims	5.5J×15 ET40 - 6.5J×16 ET47 7J×17 ET51 - 7J×18 ET51	5.5J×15 ET40 - 6.5J×16 ET47 7J×17 ET51 - 7J×18 ET51	5.5J×15 ET40 - 6.5J×16 ET47 7J×17 ET51 - 7J×18 ET51	5.5J×15 ET40 - 6.5J×16 ET47 7J×17 ET51 - 7J×18 ET51	
Tyres	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40 R18 91W XL	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40 R18 91W XL	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W XL 215/40 R18 91W XL	185/65 R15 88H - 185/65 R15 88V 195/55 R16 91V XL - 215/45 R17 91W X 215/40 R18 91W XL	
Dimensions					
Body type	5D				
Length/width/height (mm)	4,059/1,780/1,444				
Wheelbase (mm)	2,564				
Track front/rear (mm)	1,525/1,505				
Boot capacity [l]	355 (TGI 262)				
Fuel tank capacity (l)	40 (TGI 9)				
Weights					
In running order with driver (kg)	1,134	1,199	1,250	1,243	
Maximum weight with driver (kg) Front/Regr	689 / 445	754 / 445	682/568	786 / 457	

in ronning order with anver (kg)	1,134	1,199	1,230	1,243
Maximum weight with driver (kg) Front/Rear	689 / 445	754 / 445	682 / 568	786 / 457
Maximum weight allowed (kg)	1,660	1,720	1,690	1,750
Maximum weight without brake (kg)	570	590	-	620
Maximum weight w/brake 8% (kg)	1,200	1,200	-	1,200
Maximum weight w/brake 12% (kg)	1,100	1,200	-	1,100

'This engine will be available until w.45, 2020. ² This engine will be available until w.47, 2020.

Engine specs.




TSI and TGI	Reference	Style	Xcellence	FR
1.0 MPI 80 HP (59 kW) MQ Start/Stop	0	0	0	0
1.0 TSI 95 HP (70 kW) MQ Start/Stop1	0	0	0	0
1.0 TSI 95 HP (70 kW) MQ Start/Stop²	0	0	0	0
1.0 TSI 110 HP (81 kW) MQ Start/Stop ³	_	0	0	0
1.0 TSI 110 HP (81 kW) DQ Start/Stop	-	0	0	0
1.0 TSI 110 HP (85 kW) MQ Start/Stop ⁴	_	0	0	0
1.5 TSI 150 HP (110 kW) DQ Start/Stop	-	-	0	0
1.0 TGI 90 HP (66 kW) MQ Start/Stop	0	0	0	0
TDI				
1.6 TDI 95 HP (70 kW) MQ Start/Stop⁵	0	0	0	0

Exterior colours.

		Reference		Style		Xcellence		FR	
		Body	Exterior door handles & exterior mirror case Black	Body	Body	Exterior door handles & exterior mirror case Atom Grey	Body	Exterior door handles & exterior mirror case	
								Brilliant Black	
O Optional - Not available	Candy White	0	0	0	0	0	0	0	
 This engine will be available until w.44, 2020. This engine will not be available until w.44, 2020. This engine will not be available until w.45, 2020. This engine will be available until w.45, 2020. This engine will be 	Pure Red	0	0	0	0	0	0	0	
	Mystery Blue	0	0	0	0	0	0	0	
	Desire Red	0	0	0	0	0	0	0	
	Urban Silver	0	0	0	0	0	0	0	
	Magnetic Tech	0	0	0	0	0	0	0	
	Midnight Black	0	0	0	0	0	0	0	
	Nevada White	0	0	0	0	0	0	0	

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

⁵ This engine will be available until w.47, 2020.







SEAT

SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental lmpact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental auality.



10/2020. Printed in Spain